(b) The Hon'ble Supreme Court has not cancelled any of the above allotment of Retail Outlcts/LPG distributorships.

(c) and (d) Does not arise.

Protection of Nayakhila (New Fort) in Hyderabad

*513. DR. C. NARAYANA REDDY: Will the Minister of TOURISM AND CULTURE be pleased to state:

(aj whether it is a fact that a drain runs through Nayakhila (New Fort) a heritage monument on the North-east side of the Golconda Fort, Hyderabad;

(b) whether it is also a fact that it affects the Nayakhila; and

(c) if so, the steps Government propose to take to protect the heritage monument?

THE MINISTER OF TOURISM AND CULTURE (SHRI JAG-MOHAN): (a) and (b) The ancient drainage comprising sluice gates has chocked due to the pressure of population around this area.

(c) Drainage of Nayakhila comes, within the purview of the Municipal Corporation of Hyderabad.

The Archaeological Survey of India has advised Municipal Corporation of Hyderabad to clear the sluices in the fortification wall for a free flow of water.

Roof-top rain water harvesting

*514. SHRI NARENDRA MOHAN: Will the Minister of WATER RESOURCS be pleased to state:

(a) whether it is a fact that the Central Ground Water Authority has made roof-top rain water harvesting mandatory for buildings with a roof area of over 100 square meters to replenish the falling level of ground water resources;

(b) if so, the areas in which this project is being taken up togetherwith the details thereof; and

(c) whether the help of volunteers from NGOs like Jal Biradari is being taken for motivation purposes?

THE MINISTER OF WATER RESOURCES (SHRI ARJUN CHARAN SETHI): (a) to (c) the Central Water Authority